

1. **Caputo, Roberto, et al. "Very low prevalence of keratoconus in a large series of vernal keratoconjunctivitis patients." American journal of ophthalmology 172 (2016): 64-7**
Author information: Pediatric Ophthalmology Unit, A. Meyer Children's Hospital, Florence, Italy. 2 CSO srl, Florence, Italy. 3 Pediatric Allergology Unit, A. Meyer Children's Hospital, Florence, Italy. 4 Statistics and Epidemiology Unit, A. Meyer Children's Hospital, Florence, Italy. 5 Ophthalmology Unit, Careggi Hospital, Florence, Italy. 6 Department of Ophthalmology and Visual Sciences, University of Maryland School of Medicine, Baltimore, Maryland. Electronic address: bjeng@som.umaryland.edu.
2. **Maresca, Nunzio, et al. "Agreement and reliability in measuring central corneal thickness with a rotating Scheimpflug–Placido system and ultrasound pachymetry." Contact Lens and Anterior Eye 37.6 (2014): 442-446.**
Author information: Degree Course in Optics and Optometry, Faculty of Mathematics, Physics and Natural Sciences, Roma TRE University, Rome, Italy. Electronic address: nunziomaresca88@hotmail.com. 2 Degree Course in Optics and Optometry, Faculty of Mathematics, Physics and Natural Sciences, Roma TRE University, Rome, Italy. 3 Degree Course in Optics and Optometry, Faculty of Mathematics, Physics and Natural Sciences, Roma TRE University, Rome, Italy; Ospedale "Grassi" Roma, Italy. 4 Department of Physics (Optics and Optometry), University of Florence, Italy.
3. **Prakash, Gaurav, et al. "Assessment of bilateral pupillary centroid characteristics at varying illuminations and post-photopic flash response using an automated pupillometer." Clinical and Experimental Optometry 99.6 (2016): 535-543.**
Author information: Department of Cornea and Refractive Surgery, NMC Eye Care, New Medical Center Specialty Hospital, Abu Dhabi, United Arab Emirates. dr_gauravprakash@gmail.com. 2 Department of Cornea and Refractive Surgery, NMC Eye Care, New Medical Center Specialty Hospital, Abu Dhabi, United Arab Emirates
4. **Prakash, Gaurav, et al. "Multivariate Analysis to Predict the Horizontal Anterior Chamber Diameter from Other Anterior Chamber Parameters Using Scheimpflug Imaging: Is There a Better Method Than Adding a Fixed Constant?." Current eye research 42.1 (2017): 58-64.**
Author information: a Cornea and Refractive Surgery Services, NMC Eye Care , New Medical Center Specialty Hospital , Abu Dhabi , United Arab Emirates.
5. **Ruiz-Belda, Clara, et al. "Intra-session repeatability of iridocorneal angle measurements provided by a Scheimpflug photography-based system in healthy eyes." Graefe's Archive for Clinical and Experimental Ophthalmology 254.1 (2016): 169-175**
Author information: Department of Ophthalmology (OFTALMAR), Vithas Medimar International Hospital, C/Padre Arrupe, 20, 1st floor, 03016, Alicante, Spain. 2 Foundation for Visual Quality (FUNCAVIS), Alicante, Spain. 3 Department of Ophthalmology (OFTALMAR), Vithas Medimar International Hospital, C/Padre Arrupe, 20, 1st floor, 03016, Alicante, Spain. david.pinyero@ua.es. 4 Foundation for Visual Quality (FUNCAVIS), Alicante, Spain. david.pinyero@ua.es. 5 Department of Optics, Pharmacology and Anatomy, University of Alicante, Alicante, Spain.

david.pinyero@ua.es. 6 Department of Optics, Pharmacology and Anatomy, University of Alicante, Alicante, Spain. 7 Miguel Hernández University, Elche (Alicante), Spain.

6. **Prakash, Gaurav, Dhruv Srivastava, and Sounak Choudhuri. "A novel Hartman Shack-based topography system: repeatability and agreement for corneal power with Scheimpflug+ Placido topographer and rotating prism auto-keratorefractor." *International ophthalmology* 35.6 (2015): 869-880.**
Author information: Department of Cornea and Refractive Surgery, NMC Eye Care, New Medical Center Specialty Hospital, Electra Street, PO Box 6222, Abu Dhabi, United Arab Emirates. drgauravprakash@gmail.com. 2 Department of Cornea and Refractive Surgery, NMC Eye Care, New Medical Center Specialty Hospital, Electra Street, PO Box 6222, Abu Dhabi, United Arab Emirates.
7. **Prakash, Gaurav, et al. "Comparative Evaluation of the Corneal and Anterior Chamber Parameters Derived From Scheimpflug Imaging in Arab and South Asian Normal Eyes." *Cornea* 34.11 (2015): 1447-1455**
Author information: Department of Cornea and Refractive Surgery, NMC Eye Care, New Medical Center Specialty Hospital, Abu Dhabi, United Arab Emirates.
8. **Prakash, Gaurav, et al. "Differences in central and non-central keratoconus, and their effect on the objective screening thresholds for keratoconus." *Acta ophthalmologica* 94.2 (2016): e118-e129.**
Author information: Department of Cornea and Refractive Surgery, NMC Eye Care, New Medical Center Specialty Hospital, Abu Dhabi, United Arab Emirates.
9. **Simonini, Irene, and Anna Pandolfi. "Customized finite element modelling of the human cornea." *PloS one* 10.6 (2015): e0130426.**
Author information Dipartimento di Matematica, Politecnico di Milano, Milano, Italy. 2 Dipartimento di Ingegneria Civile ed Ambientale, Politecnico di Milano, Milano, Italy.
10. **Alpins, Noel, James KY Ong, and George Stamatelatos. "Corneal topographic astigmatism (CorT) to quantify total corneal astigmatism." *Journal of Refractive Surgery* 31.3 (2015): 182-186.**
11. **Prakash, Gaurav, Muhammad Suhail, and Dhruv Srivastava. "Predictive analysis between Topographic, Pachymetric and Wavefront Parameters in Keratoconus, Suspects and normal eyes: creating Unified Equations to evaluate Keratoconus." *Current eye research* 41.3 (2016): 334-342.**
Author information: a Department of Cornea and Refractive Surgery , NMC Eye Care, New Medical Center Specialty Hospital , Abu Dhabi , United Arab Emirates.
12. **Wang, Qinmei, et al. "Anterior chamber depth measurements using Scheimpflug imaging and optical coherence tomography: repeatability, reproducibility, and agreement." *Journal of Cataract & Refractive Surgery* 41.1 (2015): 178-185.**
Author information: From the School of Optometry and Ophthalmology and Eye Hospital (Wang, Ding, Chen, Feng, Pan, Hua, Huang), Wenzhou Medical University, and the Key Laboratory of Vision Science (Wang, Ding, Chen, Huang), Ministry of Health P.R. China, Wenzhou, Zhejiang, China; G.B. Studio Oculistico d'Azeglio (Savini), Bologna, Italy. 2 From the School of Optometry and Ophthalmology and Eye Hospital (Wang, Ding, Chen, Feng, Pan, Hua, Huang), Wenzhou Medical University, and the Key Laboratory of Vision Science (Wang, Ding, Chen, Huang), Ministry of Health P.R. China, Wenzhou, Zhejiang, China; G.B. Studio Oculistico d'Azeglio (Savini), Bologna, Italy. Electronic address: viphjh@hotmail.com.

- 13. Huang, Jinhai, et al. "Comparison of anterior segment measurements with Scheimpflug/Placido photography-based topography system and IOLMaster partial coherence interferometry in patients with cataracts." *Journal of ophthalmology* 2014 (2014).**

Author information: School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical University, 270 West Xueyuan Road, Wenzhou, Zhejiang 325027, China ; Key Laboratory of Vision Science, Ministry of Health, 270 West Xueyuan Road, Wenzhou, Zhejiang 325027, China. 2 School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical University, 270 West Xueyuan Road, Wenzhou, Zhejiang 325027, China. 3 Studio Oculistico d'Azeglio, Bologna, Italy.

- 14. Savini, Giacomo, et al. "Influence of posterior corneal astigmatism on total corneal astigmatism in eyes with moderate to high astigmatism." *Journal of Cataract & Refractive Surgery* 40.10 (2014): 1645-1653.**

Author information: From the Studio Oculistico d'Azeglio (Savini), Bologna, G.B. Bietti Eye Foundation I.R.C.C.S. (Ducoli), Rome, and Costruzione Strumenti Oftalmici Srl (Versaci, Vestri), Florence, Italy; School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical University (Savini), Wenzhou, Zhejiang, China; Regions Hospital Randers (Næser), Randers, Denmark. Electronic address: giacomo.savini@alice.it. 2 From the Studio Oculistico d'Azeglio (Savini), Bologna, G.B. Bietti Eye Foundation I.R.C.C.S. (Ducoli), Rome, and Costruzione Strumenti Oftalmici Srl (Versaci, Vestri), Florence, Italy; School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical University (Savini), Wenzhou, Zhejiang, China; Regions Hospital Randers (Næser), Randers, Denmark.

- 15. Savini, Giacomo, et al. "Corneal ray tracing versus simulated keratometry for estimating corneal power changes after excimer laser surgery." *Journal of Cataract & Refractive Surgery* 40.7 (2014): 1109-1115.**

Author information: From the Studio Oculistico d'Azeglio (Savini), Bologna, the Department of Physics (Optics and Optometry) (Calossi), University of Florence, Florence, Sekal Microchirurgia Rovigo (Camelin), Rovigo, Carones Ophthalmology Center (Carones), Milan, and Studio Oculistico Fantozzi (Fantozzi), Pescia, Italy; the School of Optometry and Ophthalmology and Eye Hospital (Savini), Wenzhou Medical University, Wenzhou, Zhejiang, China; the Department of Ophthalmology (Hoffer), University of California, Los Angeles, and St. Mary's Eye Center, Santa Monica, California, USA. Electronic address: giacomo.savini@alice.it. 2 From the Studio Oculistico d'Azeglio (Savini), Bologna, the Department of Physics (Optics and Optometry) (Calossi), University of Florence, Florence, Sekal Microchirurgia Rovigo (Camelin), Rovigo, Carones Ophthalmology Center (Carones), Milan, and Studio Oculistico Fantozzi (Fantozzi), Pescia, Italy; the School of Optometry and Ophthalmology and Eye Hospital (Savini), Wenzhou Medical University, Wenzhou, Zhejiang, China; the Department of Ophthalmology (Hoffer), University of California, Los Angeles, and St. Mary's Eye Center, Santa Monica, California, USA.

- 16. Savini, Giacomo, et al. "Intraocular lens power calculation by ray-tracing after myopic excimer laser surgery." *American journal of ophthalmology* 157.1 (2014): 150-153.**

Author information: Giovanni Battista Bietti Foundation, Istituto di Ricerca e Cura a Carattere Scientifico, Rome, Italy. Electronic address: giacomo.savini@alice.it. 2 Casa di Cura San Camillo, Forte dei Marmi, Italy. 3 Studio Oculistico d'Azeglio,

Bologna, Italy. 4 Giovanni Battista Bietti Foundation, Istituto di Ricerca e Cura a Carattere Scientifico, Rome, Italy. 5 Jules Stein Eye Institute, University of California, Los Angeles, Los Angeles, California, and St. Mary's Eye Center, Santa Monica, California.

- 17. Huang, Jinhai, et al. "Evaluation of corneal thickness using a Scheimpflug–Placido disk corneal analyzer and comparison with ultrasound pachymetry in eyes after laser in situ keratomileusis." *Journal of Cataract & Refractive Surgery* 39.7 (2013): 1074-1080.**
Author information: School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical College, and the Key Laboratory of Vision Science, Ministry of Health PR China, Wenzhou, Zhejiang, China.
- 18. Savini, Giacomo, Kenneth J. Hoffer, and Michele Carbonelli. "Anterior chamber and aqueous depth measurement in pseudophakic eyes: agreement between ultrasound biometry and Scheimpflug imaging." *Journal of Refractive Surgery* 29.2 (2013): 121-125.**
Author information: Bietti Eye Foundation, Rome, Italy. giacomo.savini@alice.it
- 19. Jorge, Jorge, et al. "Central corneal thickness and anterior chamber depth measurement by Sirius® Scheimpflug tomography and ultrasound." *Clinical ophthalmology (Auckland, NZ)* 7 (2013): 417**
Author information: Clinical and Experimental Optometry Research Laboratory, Center of Physics (Optometry), School of Sciences, University of Minho, Braga
- 20. Huang, Jinhai, et al. "Precision of a new Scheimpflug and Placido-disk analyzer in measuring corneal thickness and agreement with ultrasound pachymetry." *Journal of Cataract & Refractive Surgery* 39.2 (2013): 219-224.**
Author information: School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical College, Wenzhou, Zhejiang, China.
- 21. Montalbán, Raúl, et al. "Intrasubject repeatability in keratoconus-eye measurements obtained with a new Scheimpflug photography–based system." *Journal of Cataract & Refractive Surgery* 39.2 (2013): 211-218.**
Author information: Instituto Oftalmológico de Alicante, Visum Corporation, Alicante, Spain.
- 22. Gaskin, Jennifer C. Fan, Chi Ying Chou, and Charles NJ McGhee. "Pentacam keratometric values unreliable for IOL power calculation after refractive surgery." *Journal of refractive surgery* 29.1 (2013): 10-10.**
- 23. Arbelaez, Maria Clara, et al. "Use of a support vector machine for keratoconus and subclinical keratoconus detection by topographic and tomographic data." *Ophthalmology* 119.11 (2012): 2231-2238.**
Author information: Muscat Eye Laser Center, Muscat, Oman.
- 24. Huang, Jinhai, et al. "A comparison between Scheimpflug imaging and optical coherence tomography in measuring corneal thickness." *Ophthalmology* 120.10 (2013): 1951-1958.**
Author information: School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical University, Wenzhou, Zhejiang, China; Key Laboratory of Vision Science, Ministry of Health P. R. China, Wenzhou, Zhejiang, China.
- 25. Chen, Wuhe, et al. "Scheimpflug–Placido topographer and optical low-coherence reflectometry biometer: Repeatability and agreement." *Journal of Cataract & Refractive Surgery* 38.9 (2012): 1626-1632.**

Author information: School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical College, Wenzhou, Zhejiang, China.

- 26. Wang, Qinmei, et al. "A comprehensive assessment of the precision and agreement of anterior corneal power measurements obtained using 8 different devices." PLoS One 7.9 (2012): e45607.**

Author information: Department of Ophthalmology, School of Optometry and Ophthalmology and Eye Hospital, Wenzhou Medical College, Wenzhou, Zhejiang, China.

- 27. Nasser, Cornelius K., et al. "Repeatability of the Sirius imaging system and agreement with the Pentacam HR." Journal of Refractive Surgery 28.7 (2012): 493-497.**

Author information: Department of Ophthalmology, Assaf Harofeh Medical Center, Israel. Cornelius.nasser@gmail.com

- 28. Montalbán, Raúl, et al. "Intrasubject repeatability of corneal morphology measurements obtained with a new Scheimpflug photography-based system." Journal of Cataract & Refractive Surgery 38.6 (2012): 971-977.**

- 29. Savini, Giacomo, et al. "Accuracy of corneal power measurements by a new Scheimpflug camera combined with Placido-disk corneal topography for intraocular lens power calculation in unoperated eyes." Journal of Cataract & Refractive Surgery 38.5 (2012): 787-792.**

Author information: G.B. Bietti Eye Foundation-IRCCS, Rome, Italy. giacomo.savini@alice.it

- 30. Pult, Heiko, and Jason J. Nichols. "A review of meibography." Optometry and Vision Science 89.5 (2012): E760-E769.**

Author information: Dr. Heiko Pult Optometry and Vision Research, Weinheim, Germany. ovr@heiko-pult.de

- 31. Zheng, Yan-Zhen, et al. "Analysis of the optical quality by determining the modulation transfer function for anterior corneal surface in myopes." International journal of ophthalmology 5.2 (2012): 196**

- 32. Savini, Giacomo, et al. "Repeatability of automatic measurements by a new Scheimpflug camera combined with Placido topography." Journal of Cataract & Refractive Surgery 37.10 (2011): 1809-1816.**

Author information: GB Bietti Eye Foundation-IRCCS, Rome, Italy. giacomo.savini@alice.it

- 33. Savini, Giacomo, et al. "Comparison of anterior segment measurements by 3 Scheimpflug tomographers and 1 Placido corneal topographer." Journal of Cataract & Refractive Surgery 37.9 (2011): 1679-1685.**

Author information: G.B. Bietti Eye Foundation-IRCCS, Rome, Italy. giacomo.savini@alice.it

- 34. Milla, Myriam, et al. "Pachymetric measurements with a new Scheimpflug photography-based system: intraobserver repeatability and agreement with optical coherence tomography pachymetry." Journal of Cataract & Refractive Surgery 37.2 (2011): 310-316.**

Author information: Visum Corporation-Instituto Oftalmológico de Alicante, Universidad de Alicante, Alicante, Spain.

Reference:

<https://www.csoitalia.it/en/pagina/14-publication>